



March : 2019



**SHWE LAMIN NAGAR  
COMPANY LIMITED.**

**2 Years Parts And 2 Years Service Warranty  
Lamps & Lamp module 1 Year**

**X138WH**

Display Panel : DLP@3D Ready  
 Resolution : WXGA (1,280 x 800) Maximum WUXGA (1,920x1,200)  
 Aspect Ratio : 16:10 (Native), 4:3/16:9 (Supported)  
 Contrast Ratio : Dynamic Black 20,000:1  
 Brightness : 3,700 ANSI Lumens (Standard) 2,900 ANSI Lumens (Eco)  
 Lamp Life : 4,000 Hours (Standard),6,000 Hours (ECO)  
 10,000 Hours (ExtremeEco)  
 Keystone Correction : +/- 40 Degree ( Vertical ,Manual )  
 Throw Ratio : 1.54~1.72 (60"@2m)  
 Input : Analog RGB/Component Video (D-Sub),  
 HDMI, PC Audio  
 Output : DC Out (5V/2A), USB Type A

EndUser

**560**



**COLOUR : Black**

**X1226H**

Display Panel : DLP@3D Ready  
 Resolution : XGA (1,024 x 768) Maximum WUXGA (1,920x1,200)  
 Aspect Ratio : 4:3 (Native), 16:9 (Supported)  
 Contrast Ratio : Dynamic Black 20,000:1  
 Brightness : 4,000 ANSI Lumens (Standard) 3,200 ANSI Lumens (Eco)  
 (Compliant with ISO 21118 Standard)  
 Lamp Life : 4,500 Hours (Standard),10,000 Hours (ECO)  
 15,000 Hours (ExtremeEco)  
 Keystone Correction : +/- 40 Degree ( Vertical ,Manual & Auto)  
 Throw Ratio : 1.94~2.16 (51"@2m)  
 Input : Analog RGB/Component Video (D-Sub),  
 RCA, S-Video, HDMI, PC Audio  
 Output : RGB, DC Out, PC Audio

EndUser

**515**



**COLOUR : Black**

**X1126H**

Display Panel : DLP@3D Ready  
 Resolution : SVGA (800 x 600) Maximum WUXGA (1,920x1,200)  
 Aspect Ratio : 4:3 (Native), 16:9 (Supported)  
 Contrast Ratio : Dynamic Black 20,000:1  
 Brightness : 4,000 ANSI Lumens (Standard) 3,200 ANSI Lumens (Eco)  
 (Compliant with ISO 21118 Standard)  
 Lamp Life : 4,500 Hours (Standard),10,000 Hours (ECO)  
 15,000 Hours (ExtremeEco)  
 Keystone Correction : +/- 40 Degree ( Vertical ,Manual & Auto)  
 Throw Ratio : 1.94~2.16 (51"@2m)  
 Input : Analog RGB/Component Video (D-Sub),  
 RCA, S-Video, HDMI, PC Audio  
 Output : RGB, DC Out, PC Audio

EndUser

**459**



**COLOUR : Black**



**X128H**

Display Panel : 0.55" DarkChip TM 3 MD  
 Resolution : XGA (1.024x768); Maximum: WUXGA (1,920x1,200)  
 Aspect Ratio : 4:3 (Native) , 16:9 (Supported)  
 Contrast Ratio : 20,000:1  
 Brightness : 3,600 ANSI Lumens(Standard), 2,800 ANSL Lumens (ECO)  
 Lamp Life : 4,000 Hours (Standard); 6,000 Hours (Eco),  
 10,000 Hours (ExtremeEco)  
 Throw Ratio : 1.94 ~ 2.16 (51"@2m)  
 Noise Level : 30 dBA (Standard), 24 dBA (ECO)  
 Keystone Correction : +/-40 Degrees (Vertical, Manual)  
 Input Interface : Analog RGB/Component Video (D-sub)  
 : Composite Video, HDMI, PC Audio  
 Output : DC Out (5V/2A, USB Type A) x1

EndUser

435



COLOUR: Black



**X1123H**

Display Panel : DLP @3D Ready  
 Resolution : SVGA (800 x 600), Maximum WUXGA (1,920 x 1,200)  
 Aspect Ratio : 4:3 (Native) , 16:9 (Supported)  
 Contrast Ratio : Dynamic Black 20,000.1  
 Brightness : 3,600 ANSI Lumens(Standard), 2,880 ANSL Lumens (ECO)  
 (Compliant with ISO 21118 standard)  
 Lamp Life : 5,000 Hours (Standard); 10,000 Hours (Eco),  
 15,000 Hours (ExtremeEco)  
 Throw Ratio : 1.96 ~ 2.15 (50"@2m)  
 Noise Level : 30 dBA (Standard), 26 dBA (ECO)  
 Keystone Correction : +/-40 Degrees (Vertical, Manual)  
 Input Interface : Analog RGB/Component Video (D-sub)  
 : Composite Video, HDMI, PC Audio  
 Output : Analog RGB (D-sub) , PC Audio (Stereo mini jack)

EndUser

390



COLOUR: Black



**X118H**

Display Panel : DLP @3D Ready  
 Resolution : SVGA (800 x 600), Maximum WUXGA (1,920 x 1,200)  
 Contrast Ratio : Dynamic Black 20,000.1  
 Brightness : 3,600 ANSI Lumens(Standard), 2,800 ANSL Lumens (ECO)  
 Lamp Life : 4,000 Hours (Standard); 6,000 Hours (Eco),  
 10,000 Hours (ExtremeEco)  
 Throw Ratio : 1.94 ~ 2.16 (51"@2m)  
 Noise Level : 30 dBA (Standard), 24 dBA (ECO)  
 Keystone Correction : +/-40 Degrees (Vertical, Manual)  
 Input Interface : Analog RGB/Component Video (D-sub)  
 : Composite Video, HDMI, PC Audio  
 Output : DC Out (5V/2A, USB Type A) x1

EndUser

385



COLOUR: Black



## "Acer Projection Screen 70

Cleanable surface

Easy for installation on wall or ceiling with attached mounting brackets

Cleanable surface

Surface : Matt White

Gain : 1.0

Size : 70" x70"



EndUser

55

*Price may be changed with or without prior notice. Thank you !*