



No. 200/208, Ground Floor (Room No.002), 35th St. (Upper), Kyauktada Tsp., Yangon. **Head Office** +951-255655, +951-255714, +959-252229400, +959-252229500 **E-mail** : shwelaminnagar@sln-myanmar.com | **Website** : www.sln-myanmar.com | **Facebook** : **SLN**

Contact Person : Tun Tun Naing (09782101202) Gamdias Update Price List July-1-2022

ontact Person : Tun Tun	Naing (09782101202)	Gamdias Update Price List	July-1-2022
Items	Product	Features	End User Price
Eros E3		▼ 50mm HD driver unit-50mm drivers provide realistic sounds effect and rich bass	32000 MMK
		▼ Streaming RGB lighting-effect overlapped with exquisitely designed earcup covers	
		▼ Game On! - Subsidiary stereo Y-splitter cable enables solid connection to designated video gaming consoles	
		▼ Omnidirectional flexible microphone- with noise-cancelling function can be adjusted to your preference	
		▼ Oversized earcup are designed to fit around most ears without applying pressure on soft tissues.	
		▼ 50mm HD driver unit-50mm drivers provide realistic sounds effect and rich bass	
		▼ Streaming RGB lighting-effect overlapped with exquisitely designed earcup covers	
Eros M3		▼ Game On! - Subsidiary stereo Y-splitter cable enables solid connection to designated video gaming consoles	34000 MMK
	- 30	▼ Omnidirectional flexible microphone- with noise-cancelling function can be adjusted to your preference	
		▼ Oversized earcup are designed to fit around most ears without applying pressure on soft tissues.	
		▼ Microphone Sensitivity:-58db±3db	
		▼ Sensitivity:110±3dB	34000 MMK
HEBE E2		▼ Microphone Pick up Pattern:Omnidirectional	
		▼ Plug type:USB for powering lighting + 3.5mm Stereo	
		▼ Switches Mechanical Certificados pela GAMDIAS (Membrane Switch)	40200 MMK
		▼ ZEUS E2 OPTICAL,(Maximizando a 3.200 dpi)	
		▼ Dimensões (CxLxA)-470 x 200 x 55 mm	
Ares M2		▼ Interface-USB(1.5m)	
		▼ Multicor	
		▼ 105g	
		▼ press time -3 millions	
		▼ Key Switch:GAMDIAS Certified Mem-chanical Switches (Blue Switch)	74300 MMK
		▼ Switch Lifecycle:50 Million	
		▼ Backlit:Multi-color	
		▼ Cable Length:1.5m	
Hermes E1B	47	▼ GAMDIAS HERA Enabled:NA	
		▼ Interface:USB	
		▼ Mouse Resolution:1200/1600/ 2400/ 3200 DPI (Default 1200)	
		▼ Headset Sensitivity:'-38db±3db	
		▼ Keyboard	- 60000 MMK
		▼ Membrane Switches	
		▼ Mouse	
Describe 110		▼ Advanced Gaming Optical Sensor	
Poseidon M2		▼ 1200/1800/ 2400/ 3600 DPI (Default 1200)	
		▼ Headset	
		▼ USB for powering lighting + 3.5mm Stereo	

Poseidon M3		▼ Neon Light Spectrum Multi-color backlight (Membrane Switch) ▼ Vibrant Backlit the multi-colored backlit keyboard includes 5 adjustable brightness levels ▼ 7 Additional Multimedia Keys / 7 hotkeys for web, E-mail, and audio control. ▼ Anti-slip Rubber Feet ▼ Fold, Omnidirectional microphone with noise-cancelling function can be adjusted to your preference ▼ 3600 DPI Lighting Mouse ▼ 50mm HD Driver unit offers the most immersive 3D audio experience ▼ Sleek Headset Stand ▼ Mouse Mat ▼ Mechanical Switch (Blue Switch) ▼ Keystroke lifecycle 50million	70000 MMK
Hermes P2A		▼ Weight: 895g ▼ Buile in Memory 32KB, ▼ Polling Rate:1000HZ, ▼ 16.8 Million RGB Backlighting ▼ Anti-Ghosting	74300 MMK
Hermes M5A		▼ GAMDIAS Certified Mechanical Switches (BlueSwitch) ▼ Multi-color backlights ▼ 6 lighting effects ▼ Anti-ghosting with N-key rollover ▼ Ergonomic design ▼ Design provides two colorways of keycaps ▼ Aluminum bezel	\$41
Hermes M6		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color backlights ▼ 7 lighting effects ▼ Anti-ghosting with N-key rollover ▼ Ergonomic design ▼ Design provides two colorways of keycaps ▼ Aluminum bezel	\$37
Hermes E3	311 - 111	▼ GAMDIAS Certified Mechanical Switches (BlueSwitch) ▼ Keystroke lifecycle 50million ▼ 16.8 Million RGB Backlighting ▼ 19 Built-in Lighting Effects ▼ Anti-ghosting with N-key rollover	\$38
Zeus M2	A Constitution	▼ 10,800 DPI Optical Sensor ▼ Double level RGB streaming lighting (16.8 Million). ▼ Textured rubber side grips. ▼ Advanced ergonomic design for every game player. ▼ 8 smart Keys ▼ 8 programmable keys of 8 keys for strategic assignment of macros, profiles, ▼ keyboard keys, media controls, windows functions etc ▼ Bundle with Non-slip & Double-layer fabrics mouse mad ▼ GAMDIAS™ HERA Enabled + Mobile Hera	\$22
Zeus E3	1. 0	▼ Multi-color breathign lighting ▼ 3600 DPI Optical Sensor ▼ 7 smart Keys ▼ Bundle with Non-slip & Double-layer fabrics mouse mad	\$12
Hermes E1C		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mice	\$33

		▼ Trio RGB rings Light on Front,back and center of the fan	
Aeolus M2-1204R		▼ Easily access 55 lighting effects,10 light speed,4 fan speed , and 10 level of brightness with remote controller	
		▼ Customize addressable RGB lighting via motherboard manufacture sync software	\$32
		▼ SATA power connector	
		▼ White Edition	
		▼ Trio RGB rings Light on Front,back and center of the fan	\$36
Aelous M2 - 1204R		▼ Easily access 55 lighting effects,10 light speed,4 fan speed , and 10 level of brightness with remote controller	
White		▼ Customize addressable RGB lighting via motherboard manufacture sync software	,
		▼ SATA power connector	
		▼ Trio RGB rings Light on Front,back and center of the fan	
	N. W. S. W. V.	▼ Easily access 55 lighting effects,10 light speed,4 fan speed , and 10 level of brightness with remote controller	
Aelous M2 - 1205R		▼ Customize addressable RGB lighting via motherboard manufacture sync software	\$40
		▼ SATA power connector	
		▼ 5 Fan Packs	
		▼ Customize addressable RGB lighting via motherboard manufacture sync software	
Aelous M2 -1201		lacktriangledown Pressing one button, easily switches through 30 lighting effects, including Neon-Flex RGB, Multi-color, and LED off.	\$9
		▼ Dual RGB rings light up both sides	,,
		▼ The design of extra female Molex connector to deal with insufficient socket	
		▼ White Edition	\$32
		▼ High airflow PWM fan	
BOREAS E1 - 410WH		▼ 4 copper heatpipes with direct contact technology	
BONEAS ET - 410WIT		▼ Customize ARGB lighting via motherboard manufacturer sync software	
		▼ High cooling performance thick base plate	
		▼ Hydraulic bearing	
	000	▼ Trio RGB rings Light on Front,back and center of the fan	\$73
		▼ Both fan and pump can sync with motherboard software or remote controller	
CHIONE M2 -240R		▼ Add up to 8 fans & 2 additional LED strips together to exhibit group lighting effects with AEOLUS Box	
CHIONE WIZ -240K		▼ Durable Teflon tube with aesthetic Nyon-braided tube sleeve	
		▼ Hydraulic bearing	
		▼ SATA power connector	
		▼ White Edition	
		▼ New PWM ARGB fan with higher air pressure and air flow	\$79
autour	11/2/20	▼ ARGB light in the center of fan	
CHIONE M3 -240R WH		▼ Both fan and pump can sync with motherboard software or wired lighting controller	
		▼ Durable Teflon tube with aesthetic Nyon-braided tube sleeve	
		▼ PWM Power Connector	
		▼ Trio RGB rings light in the front,back and center of the fan	\$53
		▼ Both fan and pump can sync with motherboard software or remote controller	
CHIONE E2 -120R		▼ Add up to 8 fan & 2 additional LED strips together to exhibit group lighting effects with AEOLUS Box	
		▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve	
		▼ SATA power connector	

		▼ Trio RGB rings light in the front, back and center of the fan	
CHIONE E2 -120 Lite		▼ Both fan and pump can sync with motherboard software	1
		▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve	\$46
		▼ Hydraulic bearing	1
		▼ SATA power connector	-
		▼ Trio RGB rings light in the front,back and center of the fan	
		▼ Both fan and pump can sync with motherboard software	¢co
CHIONE M2 -240 LITE		▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve	- \$68 -
		▼ SATA power connector	
		▼ Trio RGB rings light in the front, back and center of the fan	
		▼ Both fan and pump can sync with motherboard software or remote controller	
CHIONE P2 -360R		▼ Durable chain another AEOLUS Box	\$114
		▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve	-
		▼ SATA power connector	
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	
	A	▼ Left Tempered Glass Panel	
		▼ 3 Built-in 120mm RGB Fans	<u> </u>
TALOS E2 Lite		▼ One Touch to Early Switch BCD Streaming Lighting Style and LED off	\$50
	o l	▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off	-
		▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off	
		▼ Mid Tower	1
		▼ Sync with 5V ARGB Motherboard	
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	-
	==	▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1)	-
TALOS E3		▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off	\$42
	· ·	▼ Power Cover Design	-
	100	▼ Magnetic Dust Filter	-
		▼ Mid Tower (White Edition)	-
		▼ Sync with 5V ARGB Motherboard	-
	4	▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	
		▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1)	
TALOS E3 White	6	▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off	\$46
		▼ Power Cover Design	
		▼ Magnetic Dust Filter	
		▼ Mid Tower	1
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	_
		▼Window: Left	
ARGUS E2 Lite		▼ Material : SPCC & ABS Tempered Glass	\$37
		▼I/O Port: USB 3.0 x1, 2.0 x 2, HD Audio x 1, Fan LED Control x 1	1
		▼ Mid Tower	-
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	-
		▼ Window: Left	
40000		▼ 1 Built-in 120mm ARGB Rear Fan	
ARGUS E4 White		▼ Material : SPCC & ABS Tempered Glass	\$42
		▼I/O Port: USB 3.0 x1, 2.0 x 2, HD Audio x 1, Fan LED Control x 1	-
		▼ Sync with 5V ARGB Motherboard	
		▼ Vibrant RGB Underglow Design	
		▼ 1 Built-in 120mm ARGB Rear Fan	
ARGUS E5		▼ Tool-free Installation Tempered Glass Window	, (22
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	- \$32 -
		▼ Magnetic Dust Filter	
		▼ Mid Tower	

		Waashankaand Connects ATV As a TV Ast 1 PTV TV 10 1	
MARS E1		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	\$44
		▼ Window: Left	
	-	▼ Material : SPCC & ABS Tempered Glass, Aluminum	
		▼I/O Port: USB 3.0 x1, 2.0 x 2, HD Audio x 1, Fan LED Control x 1, Fan Speed Control x 1	
		▼ Dimension (LxWxH) 370 x 216 x 462 mm	
		▼ Anodized Steel Panel	
		▼ Sync with 5V ARGB Motherboard	
		▼ Tool-Free Installation Tempered Glass Window	
		▼ Fan : Rear 1 x 120mm Trio Rings ARGB Fan	
MARS M2	-100	▼ Power Cover Desig	\$52
		▼ Magnetic Dust Filter	
		▼ One Touch to Easily Switch RGB Streaming Lighting Style	
		▼ Anodized Steel Panel	
		▼ Tool-Free Installation Tempered Glass Window	
	() ()	▼ Power Cover Desig	
MARS E2	- 1	▼ Magnetic Dust Filter	\$44
		▼ Sync with 5V ARGB Motherboard	
		▼ 500W power supply	
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	
	添加	▼Fan: Rear 1 x 120mm Trio Rings ARGB Fan	\$34
ATHENA E1 Elite		▼ Unique Front Panel with Mesh Window	
		▼ Magnetic Dust Filter	
		▼ One Touch to Easily Switch RGB Streaming Lighting Style	
		▼ Deliver up to 80% efficiency	\$39
		▼ Customize addressable RGB lighting via motherboard manufacture sync software	
KRATOS E1-500		▼ Pressing one button, easily switches through 30 lighting effects, including Neon-Flex RGB,Multi-color, and LED off.	
	500	▼ Automatic fan speed optimizing according to temperature	
		▼ Comply with ATX12V v2.4	
		▼ Customize addressable RGB lighting via motherboard manufacture sync software	\$62
		▼ Silent mode	
KRATOS M1-750B		On : Automatic fan speed optimizing according to temperature	
MUTIOS WIT-7505	all the state of t	Off: Full fan speed for maximum heat dissipation	70 <u>2</u>
		▼ Comply with ATX12V v2.2	
		▼ 80 Plus Bronze efficiency 750W power supply	
		▼Silent mode	\$80
	Bank 1850	On ; Automatic fan speed optimizing according to temperature	
KRATOS P1 -650G		Off ; Full Fan speed for maximum heat dissipation	
		▼ Comply with ATX12V v2.4	
		▼80 Plus Gold certified 650W Power Supply	
	44	▼ Leather Style Vinyl	\$83
ZELUS E2 MINI		▼Checkerboard Design	
		▼5 Star Nylon Base	
		▼ Gas Lift Base	
		▼ Resilience Foam Filling	

		When the property of the state of	
ZELUS E2		▼ Premium PU Leather	
		▼Adjustable Backrest Angle 90-126 Degree	
		▼ Adaptive Jointed Armrest	\$127
		▼ Black & Orange Colour	
		▼ Gas Lift Base	
	,	▼ Resilience Foam Filling	
	Jan.	▼ Full Length Backrest Recline	
		▼ Hive Design	
		▼ 5 Star Steel Base	
ZELUS M2		▼2D Adjustable Armrests	\$150
22200 1112	1	▼ Class 4 Gas Lift	ΨISO
		▼ Black & Orange Colour	1
	•	▼ High Resilience Foam Filling, Ensures that the chair doesn't get deform.	
		▼ Advanced Leather Style Vinyl which is soft, breathable and resistant to sweating.	
	A A	▼ Multiple Adjusting Systems -with adjustable back angle, seat tilt and customizable seat height.	
ALPHRODITE -EF1		▼ High Load Capacity -maximum load capacity of 440 lbs.	\$150
	未未	▼ Stability-Sturdy 5 star Nylon base supports loading weight of up to 1000kg.	
		▼ High Resilence Foam Filling, Ensures that the chair doesn't get deform.	
		▼ Advanced Leather Style Vinyl which is soft, breathable and resistant to sweating	\$179
		▼ Customizable Comfort - with adjustable back angle, customizable seat height, accessible tilt locking and adjusting mechamism	
ALPHRODITE-MF1		▼ Adjustable height Class 4 Hydraulic Pistons	
		▼ High Load Capacity - maximum load capacity of 440 lbs	
		▼ Stability - Sturdy 5 star Nylon base supports loading weight of up to 1000kg.	
		▼ Carbon Fiber Surface	
		▼ Steel Frame	\$154
		▼ 150cm Length	
		▼ 68cm Width	
DAEDALUS E3		▼ 75cm Heigth	
		▼ Max. Load 100kg / 220 lbs	
		▼ Cup Holder / Headset Holder	
		▼ Carbon Fiber Surface	
DAEDALUS E1		▼ Steel Frame	
		▼ 120cm Length	
		▼ 60cm Width	
		▼ 75cm Heigth Power Strip Holder	\$154
	\ ' '	▼ Max. Load 100kg / 220 lbs	
	1	▼ Waterproof Gaming Mouse Mat (XXL)	
		▼ Power Strip Holder	