SHWE LAMIN NAGAR COMPANY LIMITED.

S QAMDIAS

No. 200/208, Ground Floor (Room No.002), 35th St. (Upper), Kyauktada Tsp., Yangon. Head Office +951-255655, +951-255714, +959-252229400, +959-252229500 E-mail : shwelaminnagar@sln-myanmar.com | Website : www.sln-myanmar.com | Facebook : SLN Myanmar

Contact Person : Tun Tun	Naing (09782101202)	Gamdias Update Price List	Sep-21-2022
Items	Product	Features	End User Price
		▼ 50mm HD driver unit-50mm drivers provide realistic sounds effect and rich bass	
		▼ Streaming RGB lighting-effect overlapped with exquisitely designed earcup covers	
		▼ Game On! - Subsidiary stereo Y-splitter cable enables solid connection to designated video	
Eros E3		gaming consoles	\$17
	-	 Omnidirectional flexible microphone- with noise-cancelling function can be adjusted to your preference 	
		▼ Oversized earcup are designed to fit around most ears without applying pressure on soft tissues.	
	6	▼ 50mm HD driver unit-50mm drivers provide realistic sounds effect and rich bass	
		▼ Streaming RGB lighting-effect overlapped with exquisitely designed earcup covers	
Eros M3		▼ Game On! - Subsidiary stereo Y-splitter cable enables solid connection to designated video	\$20
		gaming consoles ▼ Omnidirectional flexible microphone- with noise-cancelling function can be adjusted to	
	7	your preference ▼ Oversized earcup are designed to fit around most ears without applying pressure on soft	
		tissues. ▼ Ergonomic Comfort	
		▼ Omnidirectional Flexible Microphone	
HEBE E1		▼ Oversized Earcup Design	\$20
		▼ 40mm HD Driver Unit	
		▼ Smart Remote Controller	
	$\mathbf{\cap}$	▼ Microphone Sensitivity:-58db±3db	
HEBE E2		▼ Sensitivity:110±3dB	\$18
HEDE EZ		▼ Microphone Pick up Pattern:Omnidirectional	\$10
	~	▼ Plug type:USB for powering lighting + 3.5mm Stereo	
		▼ Switches Mechanical Certificados pela GAMDIAS (Membrane Switch)	
		▼ ZEUS E2 OPTICAL,(Maximizando a 3.200 dpi)	
	Parties and and and	▼ Dimensões (CxLxA)-470 x 200 x 55 mm	
Ares M2		▼ Interface-USB(1.5m)	\$17
		▼ Multicor	
		▼ 105g	
		▼ press time -3 millions	
		▼ Key Switch:GAMDIAS Certified Mem-chanical Switches (Blue Switch)	
		▼ Switch Lifecycle:50 Million	\$43
		▼ Backlit:Multi-color	
		▼ Cable Length:1.5m	
Hermes E1B		GAMDIAS HERA Enabled:NA	
		▼ Interface:USB	
		▼ Mouse Resolution:1200/1600/ 2400/ 3200 DPI (Default 1200)	
		▼ Headset Sensitivity:'-38db±3db	
		▼ Keyboard	
		Keyboard Membrane Switches	
		Mouse	
Poseidon M2		▼ Advanced Gaming Optical Sensor	\$30
		▼ 1200/1800/ 2400/ 3600 DPI (Default 1200)	
		▼ Headset	
		▼ USB for powering lighting + 3.5mm Stereo	
		▼ Mouse Mat	

		▼ Neon Light Spectrum Multi-color backlight (Membrane Switch)	
		▼ Vibrant Backlit the multi-colored backlit keyboard includes 5 adjustable brightness levels	
		▼ 7 Additional Multimedia Keys / 7 hotkeys for web, E-mail, and audio control.	
		▼ Anti-slip Rubber Feet	
Poseidon M3		▼ Fold, Omnidirectional microphone with noise-cancelling function can be adjusted to your	\$36
	The second	oreference ▼ 3600 DPI Lighting Mouse	
		▼ 50mm HD Driver unit offers the most immersive 3D audio experience	
		▼ Sleek Headset Stand	
		▼ Mouse Mat	
		Mechanical Switch (Blue Switch)	
		▼ Keystroke lifecycle 50million	
		▼ Weight: 895g	
Hermes P2A		▼ Buile in Memory 32KB,	74300 MMK
		▼ Polling Rate:1000HZ,	
		▼ 16.8 Million RGB Backlighting	
		▼ Anti-Ghosting	
		▼ GAMDIAS Certified Mechanical Switches (BlueSwitch)	
		Multi-color backlights	
Hermes M5A		▼ 6 lighting effects	\$38
Hermes MDA		 ✓ Anti-ghosting with N-key rollover ✓ Ergonomic design 	٥ۮۮ
		 Ergonomic design Design provides two colorways of keycaps 	
		Aluminum bezel	
		▼ GAMDIAS Certified Mechanical Switches	
		▼ Multi-color backlights	\$35
		▼ 7 lighting effects	
Hermes M6		▼ Anti-ghosting with N-key rollover	
		▼ Ergonomic design	
		Design provides two colorways of keycaps	
		▼ Aluminum bezel	
		▼ GAMDIAS Certified Mechanical Switches (BlueSwitch)	
		▼ Keystroke lifecycle 50million	\$38
Hermes E3		▼ 16.8 Million RGB Backlighting	
		▼ 19 Built-in Lighting Effects	
		▼ Anti-ghosting with N-key rollover	
A NEWAL		▼ GAMDIAS Certified Mechanical Switches (Red Switch)	
ARRIVAL		▼ Keystroke lifecycle 50million	
AURA GK1		▼ Multi-color backlights	\$31
		▼ Weight: 930g	
		▼ 10 Fn+Function Key for Multi-media	
		▼ 10,800 DPI Optical Sensor	
		▼ Double level RGB streaming lighting (16.8 Million).	
		▼ Textured rubber side grips.	
	50.	▼ Advanced ergonomic design for every game player.	\$21
Zeus M2		▼ 8 smart Keys	
	W SAMUAS	▼ 8 programmable keys of 8 keys for strategic assignment of macros, profiles,	
		▼ keyboard keys, media controls, windows functions etc	
	1	▼ Bundle with Non-slip & Double-layer fabrics mouse mad	
		▼ GAMDIAS [™] HERA Enabled + Mobile Hera	
		 ▼ GAMDIAS™ HERA Enabled + Mobile Hera ▼ Multi-color breathign lighting 	
Zeus E3		▼ Multi-color breathign lighting	\$10

20		▼ Multi-color lighting	
ARRIVAL		▼ 6 Multi-functional Keys	
AURA GS1		▼ 3600 DPI Optical Sensor	\$9
		Advanced ergonomic design	
		▼ GAMDIAS Certified Mechanical Switches	
		▼ Multi-color lighting	
		▼ 10 Fn+Function Key for Multi-media	
Hermes E1C		▼ 4 Brightness Levels	\$33
		▼ Spill Resistant Design	
		▼ 3200 DPI Lighting Mouse	
		▼ Breathable Lighting Mice	
		▼ Trio RGB rings Light on Front, back and center of the fan	
Aeolus M2-1204R		▼ Easily access 55 lighting effects,10 light speed,4 fan speed , and 10 level of brightness with remote controller	\$32
Acolus M2-12041	ALL ALL ALL	▼ Customize addressable RGB lighting via motherboard manufacture sync software	204
		▼ SATA power connector	
		▼ Trio RGB rings Light on Front,back and center of the fan	
		▼ Easily access 55 lighting effects, 10 light speed, 4 fan speed , and 10 level of brightness with remote controller	
Aelous M2 - 1205R		▼ Customize addressable RGB lighting via motherboard manufacture sync software	\$39
	••		
		▼ 5 Fan Packs	
		Customize addressable RGB lighting via motherboard manufacture sync software	
Aelous M2 -1201		Pressing one button, easily switches through 30 lighting effects, including Neon-Flex RGB, Multi-color, and LED off.	\$9
		Dual RGB rings light up both sides	
		▼ The design of extra female Molex connector to deal with insufficient socket	
ARRIVAL		▼ High airflow PWM fan	
24		▼ 4 copper heatpipes with direct contact technology	
BOREAS E1 - 410		▼ Customize Addressable RGB lighting	\$26
	11 Nue-W	▼ High cooling performance thick base plate	
		▼ Built-in rainbow wave LED effect	
NEW		▼ High airflow PWM fan	
ARRIVAL		▼ 4 copper heatpipes with direct contact technology	
BOREAS E1 - 410Lite			\$23
		▼ Static RGB Style Lighting	Ŷ20
		▼ High cooling performance thick base plate	
		▼ Hydraulic bearing 🔛 💷 💿 🚟 🚥	
		▼ Trio RGB rings Light on Front, back and center of the fan	
		Both fan and pump can sync with motherboard software or remote controller	
CHIONE M2 -240R		▼ Add up to 8 fans & 2 additional LED strips together to exhibit group lighting effects with AEOLUS Box	\$69
		▼ Durable Teflon tube with aesthetic Nyon-braided tube sleeve	
		▼ Hydraulic bearing	
		▼ SATA power connector 💿 💿 😳 🛒	
		▼ White Edition	
		▼ New PWM ARGB fan with higher air pressure and air flow	
CHIONE M3 -240R WH		▼ ARGB light in the center of fan	\$76
5		▼ Both fan and pump can sync with motherboard software or wired lighting controller	<i></i>
		▼ Durable Teflon tube with aesthetic Nyon-braided tube sleeve	
		▼ PWM Power Connector	
		▼ PWM Power Connector	

		Trip RGR rings light in the front back and contex of the fac	
CHIONE E2 -120R		▼ Trio RGB rings light in the front,back and center of the fan	
		Both fan and pump can sync with motherboard software or remote controller	
		▼ Add up to 8 fan & 2 additional LED strips together to exhibit group lighting effects with AEOLUS Box	\$53
		▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve	
		▼ SATA power connector	
		▼ Trio RGB rings light in the front,back and center of the fan	
		▼ Both fan and pump can sync with motherboard software or remote controller	
CHIONE P2 -360R		▼ Durable chain another AEOLUS Box	\$109
1		▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve	
1		▼ SATA power connector 🕲 🕲 💽 👬	
NEW AL		▼ RGB Stream Lighting	
ARRIVAL		▼ High airflow Hydraulic bearing PWM Fan	4.5
AURA GL120		▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve	\$43
	Contract of Contra	▼ High performance pump up to 2700 RPM	
NEW		▼ RGB Stream Lighting	
ARRIVAL		▼ High airflow Hydraulic bearing PWM Fan	
AURA GL240		▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve	\$58
		▼ High performance pump up to 2700 RPM	
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	
		▼ Left Tempered Glass Panel	
		▼ 3 Built-in 120mm RGB Fans	
TALOS E2 Lite			\$46
		▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off	
		▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off	
		▼ Mid Tower	
		▼ Sync with 5V ARGB Motherboard	
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	
		▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1)	
TALOS E3		▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off	\$40
		▼ Power Cover Design	
		▼ Magnetic Dust Filter	
		▼ Mid Tower (White Edition)	
		▼ Sync with 5V ARGB Motherboard	
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	
		▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1)	
TALOS E3 White			\$44
		▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off	
		V Power Cover Design	
		▼ Magnetic Dust Filter	
		V Mid Tower	
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	
		Vindow: Left	
ARGUS E2 Elite		Vaterial : SPCC & ABS Tempered Glass	\$35
		▼I/O Port: USB 3.0 x1, 2.0 x 2, HD Audio x 1, Fan LED Control x 1	
		V Mid Tower	
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	
		Vindow: Left	
ARGUS E4 Elite		Vaterial : SPCC & ABS Tempered Glass	\$37
		▼I/O Port: USB 3.0 x1, 2.0 x 2, HD Audio x 1, Fan LED Control x 1	
	_	Mid Tower	
ARGUS E4 Elite White		V Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	
		Vindow: Left	
		▼ 1 Built-in 120mm ARGB Rear Fan	\$41
		▼ Material : SPCC & ABS Tempered Glass	
		▼I/O Port: USB 3.0 x1, 2.0 x 2, HD Audio x 1, Fan LED Control x 1	
		▼ Sync with 5V ARGB Motherboard	

ARGUS E5		Vibrant RGB Underglow Design	4
	2 2	 ▼ 1 Built-in 120mm ARGB Rear Fan ▼ Tool-free Installation Tempered Glass Window 	
	R.	 Tool-nee installation reinpered Glass window Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin) 	\$32
		▼ Magnetic Dust Filter	-
		▼ Mid Tower	
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	
		▼Window: Left	-
		▼ Material : SPCC & ABS Tempered Glass, Aluminum	1
MARS E1	and the second sec	▼ I/O Port: USB 3.0 x1, 2.0 x 2, HD Audio x 1, Fan LED Control x 1, Fan Speed Control x 1	\$44
		▼ Dimension (LxWxH) 370 x 216 x 462 mm	1
		▼ Anodized Steel Panel	
		▼ Sync with 5V ARGB Motherboard	
		▼ Tool-Free Installation Tempered Glass Window	
	000	▼Fan : Rear 1 x 120mm Trio Rings ARGB Fan	
MARS M2	-100	▼ Power Cover Desig	\$52
		▼ Magnetic Dust Filter	
		▼ One Touch to Easily Switch RGB Streaming Lighting Style	
		▼ Anodized Steel Panel	
		▼ Tool-Free Installation Tempered Glass Window	
	•	▼ Power Cover Desig	1
MARS E2		▼ Magnetic Dust Filter	\$44
		▼ Sync with 5V ARGB Motherboard	1
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	
	- N-	▼ Fan : Rear 1 x 120mm Trio Rings ARGB Fan	
ATHENA E1 Elite		▼ Unique Front Panel with Mesh Window	\$34
		▼ Magnetic Dust Filter	
		▼ One Touch to Easily Switch RGB Streaming Lighting Style	1
NEW		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	
ARRIVAL		▼ 4 Built-in 120mm ARGB Fan	
AURA GC1		▼ Tool-Free Installation Tempered Glass Window	\$39
		▼Magnetic Dust Filter	
		▼ Mesh Front Panel	1
		▼ Deliver up to 80% efficiency	
		▼ Customize addressable RGB lighting via motherboard manufacture sync software	
KRATOS E1-500		▼ Pressing one button, easily switches through 30 lighting effects, including Neon-Flex RGB,Multi-color, and LED off.	\$36
		▼ Automatic fan speed optimizing according to temperature	-
	••	▼ Comply with ATX12V v2.4	1
		▼ Silent mode	-
KRATOS M1-600B	Research 1998	▼ Customize addressable RGB lighting via motherboard manufacture sync software	
		On : Automatic fan speed optimizing according to temperature	\$52
		Off : Full fan speed for maximum heat dissipation]
		▼ 80 Plus Bronze efficiency 600W power supply	
		▼ Customize addressable RGB lighting via motherboard manufacture sync software	
		▼ Silent mode	_
KRATOS M1-750B		On : Automatic fan speed optimizing according to temperature	\$59
		Off : Full fan speed for maximum heat dissipation	4
		▼ Comply with ATX12V v2.2 mm Imm Imm Imm	4
		▼ 80 Plus Bronze efficiency 750W power supply	

		▼ Silent mode	
KRATOS P1 -650G	an aller	On ; Automatic fan speed optimizing according to temperature	
		Off ; Full Fan speed for maximum heat dissipation	\$77
	Witten Log	▼ Comply with ATX12V v2.4 🛛 👬 💷 ⓒ 🛱 🚱	
		▼ 80 Plus Gold certified 650W Power Supply	
		▼ Leather Style Vinyl	
		▼ Checkerboard Design	
ZELUS E2 MINI		▼5 Star Nylon Base	\$83
		▼ Gas Lift Base	
		▼ Resilience Foam Filling	
	(town	▼ Premium PU Leather	
		▼ Adjustable Backrest Angle 90-126 Degree	
		▼Adaptive Jointed Armrest	4.55
ZELUS E2		▼ Black & Orange Colour	\$127
		▼Gas Lift Base	
		▼ Resilience Foam Filling	
		▼Full Length Backrest Recline	
		▼ Hive Design	
		▼5 Star Steel Base	
		▼2D Adjustable Armrests	
ZELUS M2		▼ Class 4 Gas Lift	\$150
		▼ Black & Orange Colour	
		▼ High Resilience Foam Filling, Ensures that the chair doesn't get deform.	
		▼Advanced Leather Style Vinyl which is soft, breathable and resistant to sweating.	
	ه ا	▼ Multiple Adjusting Systems -with adjustable back angle, seat tilt and customizable seat height.	
ALPHRODITE -EF1		▼ High Load Capacity -maximum load capacity of 440 lbs.	\$150
		▼ Stability-Sturdy 5 star Nylon base supports loading weight of up to 1000kg.	
		▼ High Resilence Foam Filling, Ensures that the chair doesn't get deform.	
		▼ Advanced Leather Style Vinyl which is soft, breathable and resistant to sweating	
		▼ Customizable Comfort - with adjustable back angle, customizable seat height, accessible tilt locking and adjusting mechamism	
ALPHRODITE-MF1		▼ Adjustable height Class 4 Hydraulic Pistons	\$179
		High Load Capacity - maximum load capacity of 440 lbs	
		▼ Stability - Sturdy 5 star Nylon base supports loading weight of up to 1000kg.	
		▼ Carbon Fiber Surface	
		▼ Steel Frame	
	I J	▼ 150cm Length	
		▼ 68cm Width	
DAEDALUS E3		▼ 75cm Heigth	\$154
		▼ Max. Load 100kg / 220 lbs	
	_	Cup Holder / Headset Holder	
		Carbon Fiber Surface Steel Frame	
		▼ Steel Frame	
		▼ 120cm Length ▼ 60cm Width	
DAEDALUS E1	1	▼ 75cm Heigth Power Strip Holder	\$154
		▼ Max. Load 100kg / 220 lbs	+·
		▼ Waterproof Gaming Mouse Mat (XXL)	
		▼ Power Strip Holder	