

SHWE LAMIN NAGAR COMPANY LIMITED



No. 200/208, Ground Floor (Room No.002), 35th St. (Upper), Kyauktada Tsp., Yangon. **Head Office** +951-255655, +951-255714, +959-252229400, +959-252229500 **E-mail** : shwelaminnagar@sln-myanmar.com | **Website** : www.sln-myanmar.com | **Facebook** : **SLN M**

Items	Product	Features	End User Pric
items	Product	reatures	Ella Osel Plic
Eros E3		▼ 50mm HD driver unit-50mm drivers provide realistic sounds effect and rich bass	\$17
		▼ Streaming RGB lighting-effect overlapped with exquisitely designed earcup covers	
		▼ Game On! - Subsidiary stereo Y-splitter cable enables solid connection to designated video gaming consoles	
		▼ Omnidirectional flexible microphone- with noise-cancelling function can be adjusted to your preference	
		▼ Oversized earcup are designed to fit around most ears without applying pressure on soft tissues.	
	00	▼ 50mm HD driver unit-50mm drivers provide realistic sounds effect and rich bass	
		▼ Streaming RGB lighting-effect overlapped with exquisitely designed earcup covers	
Eros M3		▼ Game On! - Subsidiary stereo Y-splitter cable enables solid connection to designated video gaming consoles ▼ Omnidirectional flexible microphone- with noise-cancelling function can be adjusted to	\$20
		your preference ▼ Oversized earcup are designed to fit around most ears without applying pressure on soft	I
	<i>(70)</i>	tissues. ▼ Ergonomic Comfort	
		▼ Omnidirectional Flexible Microphone	
HEBE E1		▼ Oversized Earcup Design	\$20
	2000.2	▼ 40mm HD Driver Unit	
		▼ Smart Remote Controller	
		▼ Microphone Sensitivity:-58db±3db	
HEBE E2		▼ Sensitivity:110±3dB	\$18
·		▼ Microphone Pick up Pattern:Omnidirectional	710
		▼ Plug type:USB for powering lighting + 3.5mm Stereo	
		▼ Switches Mechanical Certificados pela GAMDIAS (Membrane Switch)	\$17
	,	▼ ZEUS E2 OPTICAL,(Maximizando a 3.200 dpi)	
	2 Daniel State Sta	▼ Dimensões (CxLxA)-470 x 200 x 55 mm	
Ares M2		▼ Interface-USB(1.5m)	
		▼ Multicor	
	4.5	▼ 105g	
		▼ press time -3 millions	
		▼ Key Switch:GAMDIAS Certified Mem-chanical Switches (Blue Switch)	
		▼ Switch Lifecycle:50 Million	
		▼ Backlit:Multi-color	
	AREE KARE BEEFELD	▼ Cable Length:1.5m	\$43
Hermes E1B		▼ GAMDIAS HERA Enabled:NA	
	PANHAN		
		▼ Interface:USB	
		▼ Mouse Resolution:1200/1600/ 2400/ 3200 DPI (Default 1200)	
		▼ Headset Sensitivity:'-38db±3db	
		▼ Keyboard	\$30
		▼ Membrane Switches	
		▼ Mouse	
Poseidon M2		▼ Advanced Gaming Optical Sensor	
		▼ 1200/1800/ 2400/ 3600 DPI (Default 1200)	
		▼ Headset	
		▼ USB for powering lighting + 3.5mm Stereo	
		▼ Mouse Mat	
		▼ Neon Light Spectrum Multi-color backlight (Membrane Switch)	
		▼ Vibrant Backlit the multi-colored backlit keyboard includes 5 adjustable brightness levels	
		▼ 7 Additional Multimedia Keys / 7 hotkeys for web, E-mail, and audio control.	
		▼ Anti-slip Rubber Feet	
Poseidon M3		▼ Fold, Omnidirectional microphone with noise-cancelling function can be adjusted to your preference	\$36
		▼ 3600 DPI Lighting Mouse	
	ATMINET	▼ 50mm HD Driver unit offers the most immersive 3D audio experience	

		▼ GAMDIAS Certified Mechanical Switches (BlueSwitch)	
		▼ GAMDIAS Certified Mechanical Switches (Blueswitch) ▼ Multi-color backlights	
		▼ 6 lighting effects	
Hermes M5A	***************************************	▼ Anti-ghosting with N-key rollover	\$38
		▼ Ergonomic design	
		▼ Design provides two colorways of keycaps	
		▼ Aluminum bezel	
		▼ GAMDIAS Certified Mechanical Switches	
	1	▼ Multi-color backlights	
Hermes M6		▼ 7 lighting effects ▼ Anti-ghosting with N-key rollover	\$35
Hermes Wo		▼ Anti-griosting with N-key follower ▼ Ergonomic design	333
		▼ Design provides two colorways of keycaps	
		▼ Aluminum bezel	
		▼ GAMDIAS Certified Mechanical Switches (BlueSwitch)	
		▼ Keystroke lifecycle 50million	
Hermes E3	Service of the service	▼ 16.8 Million RGB Backlighting	\$38
		▼ 19 Built-in Lighting Effects	
		▼ Anti-ghosting with N-key rollover	
		▼ GAMDIAS Certified Mechanical Switches (Red Switch)	
		▼ Keystroke lifecycle 50million	
AURA GK1		▼ Multi-color backlights	\$31
	والم المالية المستقبل الم	▼ Weight: 930g	
		▼ 10 Fn+Function Key for Multi-media	
		▼ 10,800 DPI Optical Sensor	
		▼ Double level RGB streaming lighting (16.8 Million).	
		▼ Textured rubber side grips.	
	A. C	▼ Advanced ergonomic design for every game player. ▼ 8 smart Keys	
Zeus M2		·	\$21
	CANDIAC	▼ 8 programmable keys of 8 keys for strategic assignment of macros, profiles,	
		▼ keyboard keys, media controls, windows functions etc	
		▼ Bundle with Non-slip & Double-layer fabrics mouse mad	
		▼ GAMDIAS™ HERA Enabled + Mobile Hera	
		▼ RGB breathing lighting ▼ 7 keys for strategic assignment	
Zeus E3		▼ 7 keys for strategic assignment ▼ 3600 DPI for pixel perfect accuracy	\$12
	THE SHAULDING!	▼ Heavy-duty 3 million click lifecycle	
		▼ Multi-color lighting	\$9
	R O	▼ 6 Multi-functional Keys	
AURA GS1		▼ 3600 DPI Optical Sensor	
		▼ Advanced ergonomic design	
		▼ Advanced ergonomic design ▼ GAMDIAS Certified Mechanical Switches	
		▼ Advanced ergonomic design ▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting	
		▼ GAMDIAS Certified Mechanical Switches	
Hermes E1C		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting	\$33
Hermes E1C		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media	\$33
Hermes E1C		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels	\$33
Hermes E1C	THE PLAN SHIP SHE	▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design	\$33
Hermes E1C		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse	\$33
Hermes E1C		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mice ▼ Trio RGB rings Light on Front,back and center of the fan ▼ Easily access 55 lighting effects,10 light speed,4 fan speed, and 10 level of brightness with	\$33
Hermes E1C Aeolus M2-1204R		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mice ▼ Trio RGB rings Light on Front, back and center of the fan	\$33
		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mice ▼ Trio RGB rings Light on Front,back and center of the fan ▼ Easily access 55 lighting effects,10 light speed,4 fan speed, and 10 level of brightness with	
	TERRI MANI MAN	▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mice ▼ Trio RGB rings Light on Front,back and center of the fan ▼ Easily access 55 lighting effects,10 light speed,4 fan speed , and 10 level of brightness with remote controller	
		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Moice ▼ Trio RGB rings Light on Front,back and center of the fan ▼ Easily access 55 lighting effects,10 light speed,4 fan speed , and 10 level of brightness with remote controller ▼ SATA Power Connector ▼ Customize addressable RGB lighting via motherboard manufacture sync software	
		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mouse ▼ Trio RGB rings Light on Front, back and center of the fan ▼ Easily access 55 lighting effects, 10 light speed, 4 fan speed , and 10 level of brightness with remote controller ▼ SATA Power Connector ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ Ultra Silent Fan / ARGB PWM Fan	
Aeolus M2-1204R		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mose ▼ Trio RGB rings Light on Front, back and center of the fan ▼ Easily access 55 lighting effects, 10 light speed, 4 fan speed , and 10 level of brightness with remote controller ▼ SATA Power Connector ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ Ultra Silent Fan / ARGB PWM Fan ▼ High-Quality Hydraulic bearing	
Aeolus M2-1204R		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mouse ▼ Trio RGB rings Light on Front, back and center of the fan ▼ Easily access 55 lighting effects, 10 light speed, 4 fan speed , and 10 level of brightness with remote controller ▼ SATA Power Connector ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ Ultra Silent Fan / ARGB PWM Fan	\$32
Aeolus M2-1204R		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mose ▼ Trio RGB rings Light on Front, back and center of the fan ▼ Easily access 55 lighting effects, 10 light speed, 4 fan speed , and 10 level of brightness with remote controller ▼ SATA Power Connector ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ Ultra Silent Fan / ARGB PWM Fan ▼ High-Quality Hydraulic bearing	\$32
Aeolus M2-1204R		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Moice ▼ Trio RGB rings Light on Front,back and center of the fan ▼ Easily access 55 lighting effects,10 light speed,4 fan speed, and 10 level of brightness with remote controller ▼ SATA Power Connector ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ Ultra Silent Fan / ARGB PWM Fan ▼ High-Quality Hydraulic bearing ▼ Airflow up to 69.01 CFM	\$32
Aeolus M2-1204R		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mice ▼ Trio RGB rings Light on Front,back and center of the fan ▼ Easily access 55 lighting effects,10 light speed,4 fan speed, and 10 level of brightness with remote controller ▼ SATA Power Connector ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ Ultra Silent Fan / ARGB PWM Fan ▼ High-Quality Hydraulic bearing ▼ Airflow up to 69.01 CFM ▼ SATA Power Connector	\$32
Aeolus M2-1204R		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mice ▼ Trio RGB rings Light on Front, back and center of the fan ▼ Easily access 55 lighting effects, 10 light speed, 4 fan speed , and 10 level of brightness with remote controller ▼ SATA Power Connector ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ Ultra Silent Fan / ARGB PWM Fan ▼ High-Quality Hydraulic bearing ▼ Airflow up to 69.01 CFM ▼ SATA Power Connector	\$32
Aeolus M2-1204R		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mouse ▼ Trio RGB rings Light on Front, back and center of the fan ▼ Easily access 55 lighting effects, 10 light speed, 4 fan speed , and 10 level of brightness with remote controller ▼ SATA Power Connector ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ Ultra Silent Fan / ARGB PWM Fan ▼ High-Quality Hydraulic bearing ▼ Airflow up to 69.01 CFM ▼ SATA Power Connector ▼ Trio RGB rings Light on Front, back and center of the fan ▼ Easily access 55 lighting effects, 10 light speed, 4 fan speed , and 10 level of brightness with remote controller	\$32
Aeolus M2-1204R NEW Aeolus M3-1204R		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mouse ▼ Trio RGB rings Light on Front, back and center of the fan ▼ Easily access 55 lighting effects, 10 light speed, 4 fan speed , and 10 level of brightness with remote controller ▼ SATA Power Connector ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ Ultra Silent Fan / ARGB PWM Fan ▼ High-Quality Hydraulic bearing ▼ Airflow up to 69.01 CFM ▼ SATA Power Connector ▼ Trio RGB rings Light on Front, back and center of the fan ▼ Easily access 55 lighting effects, 10 light speed, 4 fan speed , and 10 level of brightness with remote controller ▼ Customize addressable RGB lighting via motherboard manufacture sync software	\$32
Aeolus M2-1204R NEW Aeolus M3-1204R		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mouse ▼ Trio RGB rings Light on Front, back and center of the fan ▼ Easily access 55 lighting effects, 10 light speed, 4 fan speed , and 10 level of brightness with remote controller ▼ SATA Power Connector ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ Ultra Silent Fan / ARGB PWM Fan ▼ High-Quality Hydraulic bearing ▼ Airflow up to 69.01 CFM ▼ SATA Power Connector ▼ Trio RGB rings Light on Front, back and center of the fan ▼ Easily access 55 lighting effects, 10 light speed, 4 fan speed , and 10 level of brightness with remote controller	\$32
Aeolus M2-1204R NEW Aeolus M3-1204R		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mouse ▼ Trio RGB rings Light on Front, back and center of the fan ▼ Easily access 55 lighting effects, 10 light speed, 4 fan speed , and 10 level of brightness with remote controller ▼ SATA Power Connector ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ Ultra Silent Fan / ARGB PWM Fan ▼ High-Quality Hydraulic bearing ▼ Airflow up to 69.01 CFM ▼ SATA Power Connector ▼ Trio RGB rings Light on Front, back and center of the fan ▼ Easily access 55 lighting effects, 10 light speed, 4 fan speed , and 10 level of brightness with remote controller ▼ Customize addressable RGB lighting via motherboard manufacture sync software	\$32
Aeolus M2-1204R NEW Aeolus M3-1204R		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mice ▼ Trio RGB rings Light on Front,back and center of the fan ▼ Easily access 55 lighting effects,10 light speed,4 fan speed , and 10 level of brightness with remote controller ▼ SATA Power Connector ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ Ultra Silent Fan / ARGB PWM Fan ▼ High-Quality Hydraulic bearing ▼ Airflow up to 69.01 CFM ▼ SATA Power Connector ▼ Trio RGB rings Light on Front,back and center of the fan ▼ Easily access 55 lighting effects,10 light speed,4 fan speed , and 10 level of brightness with remote controller ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ Customize addressable RGB lighting via motherboard manufacture sync software	\$32
Aeolus M2-1204R NEW Aeolus M3-1204R		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mouse ▼ Trio RGB rings Light on Front,back and center of the fan ▼ Easily access 55 lighting effects,10 light speed,4 fan speed , and 10 level of brightness with remote controller ▼ SATA Power Connector ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ Ultra Silent Fan / ARGB PWM Fan ▼ High-Quality Hydraulic bearing ▼ Airflow up to 69.01 CFM ▼ SATA Power Connector ▼ Trio RGB rings Light on Front,back and center of the fan ▼ Easily access 55 lighting effects,10 light speed,4 fan speed , and 10 level of brightness with remote controller ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ SATA power connector	\$32 \$39
Aeolus M2-1204R NEW Aeolus M3-1204R		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mouse ▼ Trio RGB rings Light on Front, back and center of the fan ▼ Easily access 55 lighting effects, 10 light speed, 4 fan speed , and 10 level of brightness with remote controller ▼ SATA Power Connector ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ Ultra Silent Fan / ARGB PWM Fan ▼ High-Quality Hydraulic bearing ▼ Airflow up to 69.01 CFM ▼ SATA Power Connector ▼ Trio RGB rings Light on Front, back and center of the fan ▼ Easily access 55 lighting effects, 10 light speed, 4 fan speed , and 10 level of brightness with remote controller ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ SATA power connector ▼ SATA power connector ▼ SATA power connector	\$32 \$39
Aeolus M2-1204R NEW Aeolus M3-1204R Aelous M2 - 1205R		▼ GAMDIAS Certified Mechanical Switches ▼ Multi-color lighting ▼ 10 Fn+Function Key for Multi-media ▼ 4 Brightness Levels ▼ Spill Resistant Design ▼ 3200 DPI Lighting Mouse ▼ Breathable Lighting Mice ▼ Trio RGB rings Light on Front,back and center of the fan ▼ Easily access 55 lighting effects,10 light speed,4 fan speed , and 10 level of brightness with remote controller ▼ SATA Power Connector ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ Ultra Silent Fan / ARGB PWM Fan ▼ High-Quality Hydraulic bearing ▼ Airflow up to 69.01 CFM ▼ SATA Power Connector ▼ Trio RGB rings Light on Front,back and center of the fan ▼ Easily access 55 lighting effects,10 light speed,4 fan speed , and 10 level of brightness with remote controller ▼ Customize addressable RGB lighting via motherboard manufacture sync software ▼ SATA power connector ▼ SATA power connector	\$32

BOREAS E1 - 410	Transport	▼ High airflow PWM fan	
		▼ 4 copper heatpipes with direct contact technology	
		- reapper managed and direct control of	
		▼ Customize Addressable RGB lighting	\$26
		▼ High cooling performance thick base plate	
		▼ Built-in rainbow wave LED effect	
		▼ High airflow PWM fan	
	A A A A A A A A A A A A A A A A A A A	▼ 4 copper heatpipes with direct contact technology	
BOREAS E1 - 410 White		▼ Customize Addressable RGB lighting	\$34
		▼ High cooling performance thick base plate	
		▼ Built-in rainbow wave LED effect	
		▼ Trio RGB rings Light on Front,back and center of the fan	
		▼ Both fan and pump can sync with motherboard software or remote controller	
		▼ Add up to 8 fans & 2 additional LED strips together to exhibit group lighting effects with	
CHIONE M2 -240R		AEOLUS Box	\$69
		▼ Durable Teflon tube with aesthetic Nyon-braided tube sleeve	
		▼ Hydraulic bearing	
		▼ SATA power connector	
		▼ White Edition	
	1114	▼ New PWM ARGB fan with higher air pressure and air flow	
CHIONE M3 -240R WH		▼ ARGB light in the center of fan	\$76
		▼ Both fan and pump can sync with motherboard software or wired lighting controller	
	404	▼ Durable Teflon tube with aesthetic Nyon-braided tube sleeve	
		▼ PWM Power Connector	
		▼ Trio RGB rings light in the front, back and cent	
CHIONE P2 -360R		▼ Both fan and pump can sync with motherboard software or remote controller	\$109
CHIONE P2 -360K		▼ Durable chain another AEOLUS Box	\$109
		▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve	
		▼ SATA power connector	
NEW		▼ Customize LCD Background (PNG / GIF / JPG)	
CHIONE P3 -360U		▼ CHIONE CAST Software	\$173
		▼ LCD Screen Orientation	
		▼ Support LGA 1700 / AM5 / TR4	
NEW		▼ IPS LCD Screen	
CHIONE DO SAON		▼ Customize LCD Background (PNG / GIF / JPG)	64.45
CHIONE P3 -2400		▼ CHIONE CAST Software ▼ LCD Screen Orientation	\$145
		▼ Support LGA 1700 / AM5 / TR4	
AURA GL120		▼ RGB Stream Lighting	
AONA GLIZO		▼ RGB Stream Lighting ▼ High airflow Hydraulic bearing PWM Fan	¢42
			\$43
		▼ High airflow Hydraulic bearing PWM Fan	\$43
		▼ High airflow Hydraulic bearing PWM Fan ▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve ▼ High performance pump up to 2700 RPM ▼ Sync with 5V ARGB Motherboard	\$43
		▼ High airflow Hydraulic bearing PWM Fan ▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve ▼ High performance pump up to 2700 RPM ▼ Sync with 5V ARGB Motherboard ▼ Motherboard Support: ATX, Mrcro ATX, Mini-ITX, 5V (3pin)	\$43
		▼ High airflow Hydraulic bearing PWM Fan ▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve ▼ High performance pump up to 2700 RPM ▼ Sync with 5V ARGB Motherboard ▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin) ▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1)	
TALOS E3		▼ High airflow Hydraulic bearing PWM Fan ▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve ▼ High performance pump up to 2700 RPM ▼ Sync with 5V ARGB Motherboard ▼ Motherboard Support: ATX, Mrcro ATX, Mini-ITX, 5V (3pin)	\$43
TALOS E3		▼ High airflow Hydraulic bearing PWM Fan ▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve ▼ High performance pump up to 2700 RPM ▼ Sync with SV ARGB Motherboard ▼ Motherboard Support: ATX, Mrcro ATX, Mini-ITX, 5V (3pin) ▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1) ▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off ▼ Power Cover Design	
TALOS E3		▼ High airflow Hydraulic bearing PWM Fan ▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve ▼ High performance pump up to 2700 RPM ▼ Sync with 5V ARGB Motherboard ▼ Motherboard Support: ATX, Mrcro ATX, Mini-ITX, 5V (3pin) ▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1) ▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off ▼ Power Cover Design ▼ Magnetic Dust Filter	
TALOS E3		▼ High airflow Hydraulic bearing PWM Fan ▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve ▼ High performance pump up to 2700 RPM ▼ Sync with 5V ARGB Motherboard ▼ Motherboard Support: ATX, Mrcro ATX, Mini-ITX, 5V (3pin) ▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1) ▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off ▼ Power Cover Design ▼ Magnetic Dust Filter ▼ Mid Tower (White Edition)	
TALOS E3		▼ High airflow Hydraulic bearing PWM Fan ▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve ▼ High performance pump up to 2700 RPM ▼ Sync with 5V ARGB Motherboard ▼ Motherboard Support: ATX, Mrcro ATX, Mini-ITX, 5V (3pin) ▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1) ▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off ▼ Power Cover Design ▼ Magnetic Dust Filter ▼ Mid Tower (White Edition) ▼ Sync with 5V ARGB Motherboard	
TALOS E3		▼ High airflow Hydraulic bearing PWM Fan ▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve ▼ High performance pump up to 2700 RPM ▼ Sync with 5V ARGB Motherboard ▼ Motherboard Support: ATX, Mrcro ATX, Mini-ITX, 5V (3pin) ▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1) ▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off ▼ Power Cover Design ▼ Magnetic Dust Filter ▼ Mid Tower (White Edition)	
TALOS E3		▼ High airflow Hydraulic bearing PWM Fan ▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve ▼ High performance pump up to 2700 RPM ▼ Sync with 5V ARGB Motherboard ▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX, 5V (3pin) ▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1) ▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off ▼ Power Cover Design ▼ Magnetic Dust Filter ▼ Mid Tower (White Edition) ▼ Sync with 5V ARGB Motherboard ▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX, 5V (3pin) ▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1)	
		▼ High airflow Hydraulic bearing PWM Fan ▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve ▼ High performance pump up to 2700 RPM ▼ Sync with 5V ARGB Motherboard ▼ Motherboard Support: ATX, Mrcro ATX, Mini-ITX, 5V (3pin) ▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1) ▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off ▼ Power Cover Design ▼ Magnetic Dust Filter ▼ Mid Tower (White Edition) ▼ Sync with 5V ARGB Motherboard ▼ Motherboard Support: ATX, Mrcro ATX, Mini-ITX, 5V (3pin) ▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1) ▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off	\$40
		▼ High airflow Hydraulic bearing PWM Fan ▼ Durable Teflon tube with aesthetic Nylon-braided tube sleeve ▼ High performance pump up to 2700 RPM ▼ Sync with 5V ARGB Motherboard ▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX, 5V (3pin) ▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1) ▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off ▼ Power Cover Design ▼ Magnetic Dust Filter ▼ Mid Tower (White Edition) ▼ Sync with 5V ARGB Motherboard ▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX, 5V (3pin) ▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1)	\$40

			1
	4	▼ Sync with 5V ARGB Motherboard	_
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	
	0	▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1)	
TALOS E3 MESH		▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off	\$44
		▼ Power Cover Design	
		▼ Magnetic Dust Filter	
		▼Mid Tower	1
	Site.	▼ Sync with 5V ARGB Motherboard	
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	4
		▼ 3 Built-in 120mm RGB Fans (Front x2, Rear x1)	_
TALOS E3 MESH White		▼ One Touch to Easily Switch RGB Streaming Lighting Style, and LED off	\$47
		▼ Power Cover Design	
		▼ Magnetic Dust Filter	
		▼ Mid Tower	
		▼ Sync with 5V ARGB Motherboard	
			+
		▼ Triple-sided Underglow	
ATHENA M6 LITE		▼ 4 Built-in 120mm RGB Fans (Front x3, Rear x1)	4
		▼ Sameless Tempered Glass Window	\$54
		▼ Mesh Front Panel	
		▼ Perforated Chassis	
		▼ Magnetic Dust Filter	
		▼ Sync with 5V ARGB Motherboard	
	A Home		-
		▼ Triple-sided Underglow	_
		▼ 4 Built-in 120mm RGB Fans (Front x3, Rear x1)	
ATHENA M6 LITE White		▼ Sameless Tempered Glass Window	\$57
		▼ Mesh Front Panel	
	The state of the s	▼ Perforated Chassis	
		▼ Magnetic Dust Filter	1
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	
			-
		▼ Window: Left	400
ARGUS E2 Elite		▼ Material : SPCC & ABS Tempered Glass	\$35
		▼I/O Port: USB 3.0 x1, 2.0 x 2, HD Audio x 1, Fan LED Control x 1	
	and a	▼ Mid Tower	
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	
	0	▼ Window: Left	1
ARGUS E4 Elite		▼ Material : SPCC & ABS Tempered Glass	\$37
		▼I/O Port: USB 3.0 x1, 2.0 x 2, HD Audio x 1, Fan LED Control x 1	1
	None .		-
		▼ Mid Tower	
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	1
		▼ Window: Left	
ARGUS E4 Elite White		▼ 1 Built-in 120mm ARGB Rear Fan	\$41
ARGOS E4 Elite Wille		▼ Material : SPCC & ABS Tempered Glass	\$41
		▼I/O Port: USB 3.0 x1, 2.0 x 2, HD Audio x 1, Fan LED Control x 1	1
	1 Samuel	▼ Sync with 5V ARGB Motherboard	†
		▼ Vibrant RGB Underglow Design	-
		▼ 1 Built-in 120mm ARGB Rear Fan	4
ARGUS E5		▼ Tool-free Installation Tempered Glass Window	\$32
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	4
	- Bioresi	▼ Magnetic Dust Filter	4
		▼ Mid Tower	
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	_
		▼ Window: Left	
		▼ Willidow. Left	4
		▼ Material : SPCC & ABS Tempered Glass, Aluminum	
MARS E1		THO DOLL HISDOO A COLOR AND A PRO-APPLICATION OF THE COLOR AND A PRO-COLOR AND	\$44
		▼I/O Port: USB 3.0 x1, 2.0 x 2, HD Audio x 1, Fan LED Control x 1, Fan Speed Control x 1	1
		▼ Dimension (LxWxH) 370 x 216 x 462 mm	
		▼ Anadizad Staal Danal	1
		▼ Anodized Steel Panel	
		▼ Sync with 5V ARGB Motherboard	
		▼ Tool-Free Installation Tempered Glass Window	
		▼ Fan : Rear 1 x 120mm Trio Rings ARGB Fan	1
			4
MARS M2		▼ Pawer Caver Decig	\$57
MARS M2	-:	▼ Power Cover Desig	\$52
MARS M2		▼ Power Cover Desig ▼ Magnetic Dust Filter	\$52
MARS M2	**************************************		\$52 -

		▼ Sync with 5V ARGB Motherboard	
MARS E2	(0)(0)	▼ Tool-Free Installation Tempered Glass Window	
		▼Fan: Rear 1 x 120mm Trio Rings ARGB Fan	7
MARS E2		▼ Power Cover Desig	\$44
		▼ Magnetic Dust Filter	7
		▼ One Touch to Easily Switch RGB Streaming Lighting Style	
		▼ Anodized Steel Panel	
		▼ Fan : Rear 1 x 120mm Trio Rings ARGB Fan	7
ATHENA E1 Elite		▼ Unique Front Panel with Mesh Window	\$34
		▼ Magnetic Dust Filter	-
		▼ One Touch to Easily Switch RGB Streaming Lighting Style	\dashv
		▼ Perforated Mesh Front Panel	+
NEW			\dashv
ATHENA P1		▼ Optimized Cable Management	4
		▼ 4 Built-in High Performance 120mm ARGB Fans	\$84
		▼ Cable Cover Shroud	_
		▼ Extensibility for Airflow Side Intake	_
		▼ Adjustable Graphic Card Support	
	Contraction of the Contraction o	▼ Perforated Mesh Front Panel	
NEW		▼ Optimized Cable Management	
ATHENA P1 Lite	9	▼ Cable Cover Shroud	\$58
ATTEMATTEME		▼ Extensibility for Airflow Side Intake	
	The state of the s	▼ 1 Built-in 120mm Rear Fan	
		▼ Magnetic Dust Filter	7
		▼ Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	
		▼4 Built-in 120mm ARGB Fan	7
AURA GC1		▼ Tool-Free Installation Tempered Glass Window	\$39
		▼ Magnetic Dust Filter	-
		▼ Mesh Front Panel	-
		▼Motherboard Support: ATX, Mrcro ATX, Mini -ITX , 5V (3pin)	
		▼ 4 Built-in 120mm ARGB Fan	_
AURA GC2		▼ Tool-Free Installation Tempered Glass Window	\$39
7.0.0.00		▼ Magnetic Dust Filter	_
			_
		▼ Mesh Front Panel	
		▼ Customize addressable RGB lighting via motherboard manufacture sync software	
WD4705144 750D	77.4	▼ Silent mode	_
KRATOS M1-750B			\$59
KRATOS M1-750B		▼ Silent mode	\$59
KRATOS M1-750B		▼ Silent mode On: Automatic fan speed optimizing according to temperature	\$59
KRATOS M1-750B		▼ Silent mode On: Automatic fan speed optimizing according to temperature Off: Full fan speed for maximum heat dissipation	\$59
KRATOS M1-750B		▼ Silent mode On: Automatic fan speed optimizing according to temperature Off: Full fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.2 ▼ 80 Plus Bronze efficiency 750W power supply ▼ Meet 80 PLUS Bronze efficiency	\$59
		▼ Silent mode On: Automatic fan speed optimizing according to temperature Off: Full fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.2 ▼ 80 Plus Bronze efficiency 750W power supply ▼ Meet 80 PLUS Bronze efficiency On; Automatic fan speed optimizing according to temperature	
KRATOS M1-750B HELIOS M1-850B	Tink w _B SOB	▼ Silent mode On: Automatic fan speed optimizing according to temperature Off: Full fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.2 ▼ 80 Plus Bronze efficiency 750W power supply ▼ Meet 80 PLUS Bronze efficiency On; Automatic fan speed optimizing according to temperature Off; Full Fan speed for maximum heat dissipation	\$59
	TOTA WIS SO	▼ Silent mode On: Automatic fan speed optimizing according to temperature Off: Full fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.2 ▼ 80 Plus Bronze efficiency 750W power supply ▼ Meet 80 PLUS Bronze efficiency On; Automatic fan speed optimizing according to temperature Off; Full Fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.4	
	Time WB 50	▼ Silent mode On: Automatic fan speed optimizing according to temperature Off: Full fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.2 ▼ 80 Plus Bronze efficiency 750W power supply ▼ Meet 80 PLUS Bronze efficiency On; Automatic fan speed optimizing according to temperature Off; Full Fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.4	
	Tink We SOB	▼ Silent mode On: Automatic fan speed optimizing according to temperature Off: Full fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.2 ▼ 80 Plus Bronze efficiency 750W power supply ▼ Meet 80 PLUS Bronze efficiency On; Automatic fan speed optimizing according to temperature Off; Full Fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.4	
	Time WB 50	▼ Silent mode On: Automatic fan speed optimizing according to temperature Off: Full fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.2 ▼ 80 Plus Bronze efficiency 750W power supply ▼ Meet 80 PLUS Bronze efficiency On; Automatic fan speed optimizing according to temperature Off; Full Fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.4 ▼ Non Modular ▼ Leather Style Vinyl	
HELIOS M1 -850B	The WB SOL	▼ Silent mode On: Automatic fan speed optimizing according to temperature Off: Full fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.2 ▼ 80 Plus Bronze efficiency 750W power supply ▼ Meet 80 PLUS Bronze efficiency On; Automatic fan speed optimizing according to temperature Off; Full Fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.4 ▼ Non Modular ▼ Leather Style Vinyl ▼ Checkerboard Design	\$81
HELIOS M1 -850B	The Weso	▼ Silent mode On: Automatic fan speed optimizing according to temperature Off: Full fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.2 ▼ 80 Plus Bronze efficiency 750W power supply ▼ Meet 80 PLUS Bronze efficiency On; Automatic fan speed optimizing according to temperature Off; Full Fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.4 ▼ Non Modular ▼ Leather Style Vinyl ▼ Checkerboard Design ▼ 5 Star Nylon Base	\$81
HELIOS M1 -850B	The Weson	▼ Silent mode On: Automatic fan speed optimizing according to temperature Off: Full fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.2 ▼ 80 Plus Bronze efficiency 750W power supply ▼ Meet 80 PLUS Bronze efficiency On; Automatic fan speed optimizing according to temperature Off; Full Fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.4 ▼ Non Modular ▼ Leather Style Vinyl ▼ Checkerboard Design ▼ 5 Star Nylon Base ▼ Gas Lift Base	\$81
HELIOS M1 -850B	Tim WB 50	▼ Silent mode On: Automatic fan speed optimizing according to temperature Off: Full fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.2 ▼ 80 Plus Bronze efficiency 750W power supply ▼ Meet 80 PLUS Bronze efficiency On; Automatic fan speed optimizing according to temperature Off; Full Fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.4 ▼ Non Modular ▼ Leather Style Vinyl ▼ Checkerboard Design ▼ 5 Star Nylon Base ▼ Gas Lift Base ▼ Resillence Foam Filling	\$81
HELIOS M1 -850B	THE WESON	▼ Silent mode On: Automatic fan speed optimizing according to temperature Off: Full fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.2 ▼ 80 Plus Bronze efficiency 750W power supply ▼ Meet 80 PLUS Bronze efficiency On; Automatic fan speed optimizing according to temperature Off; Full Fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.4 ▼ Non Modular ▼ Leather Style Vinyl ▼ Checkerboard Design ▼ 5 Star Nylon Base ▼ Gas Lift Base ▼ Resilience Foam Filling ▼ Premium PU Leather ▼ Adjustable Backrest Angle 90-126 Degree ▼ Adaptive Jointed Armrest	\$81
HELIOS M1 -850B ZELUS E2 MINI	The was on	▼ Silent mode On: Automatic fan speed optimizing according to temperature Off: Full fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.2 ▼ 80 Plus Bronze efficiency 750W power supply ▼ Meet 80 PLUS Bronze efficiency On; Automatic fan speed optimizing according to temperature Off; Full Fan speed for maximum heat dissipation ▼ Comply with ATX12V v2.4 ▼ Non Modular ▼ Leather Style Vinyl ▼ Checkerboard Design ▼ 5 Star Nylon Base ▼ Gas Lift Base ▼ Resilience Foam Filling ▼ Premium PU Leather ▼ Adjustable Backrest Angle 90-126 Degree	\$81